

# Installing Windows 10X 20279 (emulator image) on real hardware

Created: February 12, 2020	Last Update: November 25, 2022
Authors:	<a href="#">NT Authority</a> , <a href="#">Albacore</a> , <a href="#">Gustave Monce</a> , <a href="#">Rafael Rivera</a> , <a href="#">Daniel Kornev</a>
Status:	<b>Draft</b>
Supported Windows 10X Versions:	20279 (partially)

Here's some quick notes on installing Windows 10X on real hardware from emulator image or a prepared VHDX. For this example, we're assuming a system with *no* other critical disks installed, and a helpful host system being around to set up the initial image.

The guide has been updated for the 20279 image recently provided by [@thebookisclosed](#). **Ideally, you'd build your own .ffu image from the .cabs.**

**Here's a link to [Unofficial Guide to Build Windows 10X .ffu Image & Apply To Real Hardware](#).**

## Prerequisites

### Host

- Windows 10 Iron or Cobalt (20279 or 21xxx+).
- Utility USB flash drive of ~32GB+.

### Target

- CPU with Hyper-V support for VAIL. No VAIL in the newer build.
- Graphics card with DCHU drivers available.
- UEFI system firmware with the ability to **disable Secure Boot**.
- Boot drive larger than 128 GiB. An 128 GB SSD usually isn't.
- Preferred: 4Kn boot drive. We'll provide steps a bit later for converting the image.

## Host work

### Fetch and mount the emulator image

Make sure you have a *clean* .vhdx from the download link, which we shall refer to as `Flash.vhdx` from now on. Copy it someplace, and preferably keep another backup as well.

Mount it using PowerShell (as administrator):

```
Mount-VHD "X:\WCOS\Flash.vhdx"
```

Check if the emulator image is mounted correctly:

```
Get-StoragePool -FriendlyName OSPool
```

This should look like the following:

FriendlyName	OperationalStatus	HealthStatus	IsPrimordial	IsReadOnly	Size	AllocatedSize
OSPool	OK	Healthy	False	False	127.9 GB	21.81 GB

### Gather UpdateApp and verify it works

Start `diskpart` so you can mount MainOS:

```
list volume
# select the volume called MainOS
select volume 42
# assuming M: is free
assign letter=m

exit
```

From the MainOS partition, go and hunt down the following files and drop them in a standalone folder (for example, `X:\WCOS\Tools`):

### **\Windows\Servicing**

- UpdateApp.exe
- CbsApi.dll
- CbsMsg.dll

### **\Windows\System32**

- CbsCore.dll
- DrvServicing.dll
- IUSpaces.dll
- IUSpaces\_vb.dll (copy and rename IUSpaces.dll)
- UpdateAPI.dll
- cimfs.dll
- cmiadapter.dll
- cmiaisupport.dll
- cmintegrator.dll
- dpx.dll
- drvstore.dll
- msdelta.dll
- mspatcha.dll
- mspatchc.dll
- turbostack.dll
- wcp.dll
- wdscore.dll

Run `cmd.exe` as administrator, go to the tool directory, and try getting the installed packages on the image:

```
cd /d X:\WCOS\Tools
updateapp getinstalledpackages
```

The result should look a lot like the following:

```
UpdateApp - Update Application for Windows Mobile

[00:00:00] Loaded servicing stack from X:\wcos\tools with session name IUPackageInfoSession_EFIESP
[00:00:00] External storage staging directory is: (null)
[00:00:00] Closing session IUPackageInfoSession_EFIESP
[00:00:00] Loaded servicing stack from X:\wcos\tools with session name IUPackageInfoSession_MainOS
[00:00:00] External storage staging directory is: (null)
```

```
[00:00:01] Closing session IUPackageInfoSession_MainOS
```

```
164 packages:
```

```
    Microsoft-OneCore-HyperV-Guest-UpdateOS-Package~31bf3856ad364e35~amd64~en-
US~10.0.19563.1000, UpdateOS
    Microsoft-OneCore-HyperV-Guest-UpdateOS-Package~31bf3856ad364e35~amd64~~10.0.19563.1000,
UpdateOS
    Microsoft-OneCore-ServicingStack-UpdateOS-Package~31bf3856ad364e35~amd64~~10.0.19563.1000,
updateos
    Microsoft-OneCore-ServicingStack-UpdateOS-UX-
Package~31bf3856ad364e35~amd64~~10.0.19563.1000, updateos
    Microsoft-OneCoreUpdateOS-Product-Package~31bf3856ad364e35~amd64~en-US~10.0.19563.1000,
updateos
    Microsoft-OneCoreUpdateOS-Product-Package~31bf3856ad364e35~amd64~~10.0.19563.1000, updateos
    Microsoft-Windows-OneCoreUpdateOS-ImageCustomization-
Package~31bf3856ad364e35~amd64~~10.0.19563.1000, updateos
    Microsoft-Composable-ModernPC-BootEnvironment-Core-CodeIntegrity-Sbcp-
Package~31bf3856ad364e35~amd64~~10.0.19563.1000, EFIESP
    Microsoft-OneCore-BcdBootoption-Package~31bf3856ad364e35~amd64~~10.0.19563.1000, EFIESP

    [...]

getinstalledpackages completed successfully
command took 7 seconds
```

If it does, congratulations! You can move on to the next step.

## Inject graphics and network drivers

**In 20279, these steps may arbitrarily fail. You can execute them from Windows PE as well after copying the image, if you copy the drivers to your USB flash drive, and can tell which drive letter is your UFD.**

For this example we'll show the Intel HD Graphics driver, but you might need to add more INFs depending on your hardware. If you can't find the right INFs, why are you even doing this?

Place extracted Intel drivers in a directory, so that you have e.g.

`X:\WCOS\DHCUDrivers\Graphics\iigd_dch.inf`. Open `iigd_dch.inf`, and note down the values for 'Provider' and 'DriverVer'. For me, those were:

```
Provider=%Intel%
```

```
DriverVer=08/23/2019,26.20.100.7158
```

The provider name is an indirected variable here, so we go and find what `%Intel%` meant as well. A bit below in the INF, we find the following:

```
Intel      = "Intel Corporation"
```

Good! Now, invoke `updateapp` with the data we've just discovered to install the INF to the BSP partition in your WCOS image:

```
updateapp install "DriverPackage[X:\WCOS\DHCUDrivers\Graphics\iigd_dch.inf|Intel_Corporation-iigd_dch.inf~amd64~26.20.100.7158~bsp|0"
```

Note the recurrence of `Intel_Corporation` and `26.20.100.7158`. The installation process will complain with an error code of `c0880005` if you get the 'keyform' wrong.

The general rule for inf file names and provider names in the 'keyform' is the following:

- Any space in the inf name or the provider name must get replaced by an underscore '\_'
- Any dash in the inf name or the provider name must get replaced by an underscore '\_'

Finally, commit and finalize the image so future update application won't fail:

```
updateapp finalizecommit
```

After you've installed your favorite driver packages, we can prepare the utility flash drive.

## Make a utility flash drive

Gather the following assets into a directory we'll label `X:\WCOS\UtilityDrive\Boot`:

- From an ISO of Windows 10 21286 or above (you can get it from the Windows Insider Preview 'advanced' page):
  - `boot\`
  - `EFI\`
  - `sources\boot.wim`
  - `bootmgr.efi`
- For later servicing, your `WCOS\Tools` folder. **Use a hex editor to replace any mention of the Unicode string `X:\Windows` in `UpdateAPI.dll` and `UpdateApp.exe` with something like `X:\Wbndows`, or expect any servicing tasks to fail.**
- An x64 EFI shell. **Rename `EFI\boot\bootx64.efi` to `EFI\boot\winx64.efi`, and name the shell as `EFI\boot\bootx64.efi`.** You'll **need** the shell in order to **ever** boot regular Windows again (including PE).
- A file called `startup.nsh` in the root:

```
dmpstore -d SecureBootPlatformID -guid 77FA9ABD-0359-4D32-BD60-28F4E78F784B
fs0:\efi\boot\winx64.efi
fs1:\efi\boot\winx64.efi
fs2:\efi\boot\winx64.efi
fs3:\efi\boot\winx64.efi
fs4:\efi\boot\winx64.efi
fs5:\efi\boot\winx64.efi
fs6:\efi\boot\winx64.efi
fs7:\efi\boot\winx64.efi
fs8:\efi\boot\winx64.efi
fs9:\efi\boot\winx64.efi
fsA:\efi\boot\winx64.efi
```

If you are having troubles getting back to Windows PE/Windows Desktop, you may also try the following extra commands in startup.nsh: (**Warning**: these will kill every variables you have saved on your system)

```
dmpstore -d -guid BA57E015-65B3-4C3C-B274-659192F699E3
dmpstore -d -guid 77FA9ABD-0359-4D32-BD60-28F4E78F784B
dmpstore -d -guid EAEC226F-C9A3-477A-A826-DDC716CDC0E3
```

- gdisk64.exe from [GPT fdisk](#).
- [ddrelease64.exe](#).

## Partitioning

1. Connect your UFD.
2. Open `diskpart`.
3. `list disk`, `select disk` the **right disk, or you'll lose all data on it and will have to do a long partition scan to have any hopes of retrieving your data**, and `clean` + `convert gpt`.
4. `create partition primary size=5000`, `format fs=fat32 quick`, `assign letter=y` to make a bootable FAT32 partition.
5. `create partition primary`, `format fs=exfat quick`, `assign letter=z` to make an exFAT partition to house the VHDX.

## Putting things in place

Place your boot drive directory on the drive you called `Y:`. `Dismount-VHD "X:\WCOS\Fish.vhdx` in your PowerShell to unmount the VHDX, and copy the VHDX to `Z:`. You should now have a tree structure similar to:

```
Y:\
  Boot\
  EFI\
  Sources\
  Tools\
  startup.nsh

Z:\
  Flash.vhdx
```

Eject and unplug the UFD.

## Target work

Use your throwaway laptop or other modern enough system with *larger-than-128GB* system drive.  
**Make sure Secure Boot is off.**

## Boot Windows PE

Boot it on the target. Really. Once you get into Setup, press `Shift-F10` to open a command prompt. Go back and open another, for good measure. Alt-Tab works for switching here.

## Copy the VHD (destructive!)

Find out where your USB flash drive is mounted. This will involve doing a lot of the following:

```
C:
dir
D:
dir
E:
dir
F:
dir
```

Here, we'll assume the *boot* volume is D: and the volume with Flash.vhdx is E:.

Open `diskpart`, and attach the VHD:

```
select vdisk file=E:\flash.vhdx
attach vdisk readonly
# wait a minute or so
list disk
# if MainOS etc. show up as online, good!
```

Note down the ID of a 2048 MB disk with a 2048 MB free space, and subtract 1 from it.

```
# note: there's no 16
Disk 17   Online      2048 MB  2048 MB
```

The ID to note down, therefore, is 16. Also, note down the ID of the target disk (3 in this case).

Wipe it. Yes. That's data loss for you. **Make sure you've got backups of anything important on there.**

```
select disk 3
clean
convert mbr
exit
```

(replacing `3`)

Copy the VHDX's content to your disk:

```
E:\Tools\ddrelease64 if=\\.\physicaldrive16 of=\\.\physicaldrive3 bs=8M --progress
```

(replacing `16` and `3`)

... and go have a hot beverage while waiting for this to hit 131072M.

## Rebuild the GPT (for 512-byte disks only)

You probably have a 512-byte disk, so you're going to have to rebuild the GPT. Yay!

Run commands along the following:

```
> E:\tools\gdisk64 -l \\.\physicaldrive16
[..]
Number  Start (sector)    End (sector)  Size    Code  Name
   1            512             8703   32.0 MiB   EF00  BS_EFIESP
   2           8704          33554426  128.0 GiB  4202  OSPool
```



Remember the numbers (start, end, code and name) for each partition. Multiply the numbers by 8 (since  $4K/512 = 8$ ) - so you get 4096, 69624, etc.

Now, we'll create a new GPT for the target disk:

```
E:\tools\gdisk64 \\.\\physicaldrive3
# accept any warning
x
z

E:\tools\gdisk64 \\.\\physicaldrive3
# accept the warning
n
1
4096
69631
EF00

n
2
69632
268435415
4202

c
1
BS_EFIESP

c
2
OSPool

p
# check if it makes sense - matches the above but with different sector numbers
w
```

Exit all open windows, and your system should reboot.

## Boot Windows PE, again

Boot into Windows PE again - not the internal disk you just overwrote. Verify in `diskpart` if you can `list volume` and it'll show MainOS etc. without you having attached the VHD.

## Remove WCOS Security

In Windows PE, open `diskpart` and do `select volume`. Find the volume named `EFIESP` we will assume here its volume id is 6, yours may be different. Then we run `select volume 6` and `assign`. Do `list volume` again to find the drive letter of EFIESP, in our case it's `E:`, yours may be different.

Delete the following file: `del E:\efi\Microsoft\Boot\SecureBootPolicy.p7b`

You may additionally replace `winsipolicy.p7b` with the one from a desktop sku (the file is located in the same folder).

## Boot W10X

OK, now you can boot your internal disk. If you haven't followed the Remove WCOS Security instructions, this will set a Secure Boot policy value, however, so you'll have to boot your utility flash drive again if you want to boot any other Windows media (or otherwise execute the `dmpstore` command).

If everything's right, you should be booting into Windows 10X, and your graphics adapter might even be working.

---

Revision #4

Created 24 November 2022 21:25:58 by Daniel Kornev

Updated 24 November 2022 21:28:25 by Daniel Kornev